# "AR" SERIES TELEPROCESSING PROGRAMS

File: Emergency Augmentation Statistical File

File Update Frequency: Upon request. Generated in augmentation run.

<u>File Description</u>: This file is used to model personnel redistribution resulting from augmentation run.

#### File Data Items:

```
KEY --- MCA
KEY --- UIC
KEY --- RATINGAEC
KEY --- GROUP CODE
        COMPOSITE CODE
        RATING DATA/BERTHING DATA
        ARC
        BA - CURRENT thru P-12
        NMP - CURRENT thru P-12
        POB - CURRENT thru P-12
        ACR
        ACT NMP RULE EFF DATE
        MOB - CURRENT thru P-12
        TGC
        MMC
        ACT SHORT TITLE
        ATC CODE
        GEOGRAPHICAL LOCATION CODE
        S/S CODE
        RQN/EXCESS N-P-A by paygrade
        NMP TO BILLETS AUTHORIZED - P-7 by paygrade
```

## PROGRAM I.D. - AR01

# Description:

Through the use of variable input parameters, Program AR01 displays data from the Emergency Augmentation 'A' Statistical File by pay grade for requested RCN and activity totals. This transaction provides the Emergency Fleet Augmentation System a modeling capability to review projected redistribution before applying changes.

#### Procedure:

- a. Inquiry Formats. (The following list of inquiry formats is presented as an example and may not cover all format possibilities see conditional parameters).
  - (1) Some Formats with one UIC. (Maximum of 30 RCNs)
    - (a) AR01, MCAX, UICXXXXX.
    - (b) AR01, MCAX, UICXXXXX, TAD.
    - (c) AR01, MCAX, UICXXXXX, TARS.
    - (d) AR01, MCAX, UICXXXXX, ALL.
    - (e) AR01, MCAX, UICXXXXX, NTAD.
    - (f) AR01, MCAX, UICXXXXX, ACT.
    - (g) AR01, MCAX, UICXXXXX, TARS, ACT.
    - (h) AR01, MCAX, UICXXXXX, ACT, NTAD.
    - (i) AR01, MCAX, UICXXXXX, SUM.
    - (j) AR01, MCAX, UICXXXXX, ALL, SUM.
    - (k) AR01, MCAX, UICXXXXX, RCNXXXX-XXXX.
    - (1) AR01, MCAX, UICXXXXX, RCNXXXX-XXXX, SUM, ALL.
    - (m) AR01, MCAX, UICXXXXX, RCNXXXX+XXXX(MAX of 30 RCNs).
    - (n) AR01, MCAX, UICXXXXX, RCNXXXX-XXXX(MAX of 30 RCNs), TAD.
  - (2) Some Formats with 2-30 UICs. (Maximum of 10 RCNs)
    - (a) AR01, MCAX, UICXXXXX+XXXXX (Maximum of 30).
    - (b) AR01, MCAX, UICXXXXX+XXXXX (Maximum of 30), TARS.
    - (c) AR01,MCAX,UICXXXXX+XXXXX(Maximum of 30),ALL.
    - (d) AR01, MCAX, UICXXXXX+XXXXX (Maximum of 30), RCNXXXX-XXXX.

- (e) AR01, MCAX, UICXXxxx+xxxxx(Maximum of 30), RCNXXXX-XXXX, SUM.
- (f) AR01, MCAX, UICXXXXX+XXXXX (Maximum of 30), RCNXXXX-XXXX, TAD.
- (g) AR01,MCAX,UICXXXXX+XXXXX(Maximum of 30),RCNXXXX+XXXX (Maximum of 10).
- (h) AR01, MCAX, UICXXXXX+XXXXX(Maximum of 30), RCNXXXX+XXXX (Maximum of 10), NTAD.

#### b. Parameters:

#### (1) Required Parameters:

- (a) MCA A single MCA.
- (b) UIC A single UIC or multiple UICs (see Conditional Parameters for Max).

#### (2) Possible Parameters:

- (a) RCN A single RCN, multiple RCNs (see Conditional Parameters), or ,RCN Range.
- (b) SUM Keyword.
- (c) ACT Keyword.
- (d) TAD Keyword.
- (e) TARS Keyword.
- (f) ALL Keyword.
- (g) NTAD Keyword.

### (3) Conditional Parameters:

- (a) RCN can not be used with ACT.
  - 1. With one UIC there is a limitation of 30 maximum RCNs or one RCN RANGE.
  - $\underline{2}$ . With 2-30 UICs there is a limitation of ten maximum RCNs or one RCN RANGE.
- (b) SUM can not be used with ACT.
  - $\underline{1}$ . SUM with RCN indicates a request for activity totals by pay grade of selected RCN(s) for each separate UIC and as the last page of the Inquiry displays summary totals by pay grade for all UICs.
  - $\underline{2}$ . SUM without RCN indicates a request for one page summarized activity totals by pay grade of all RCN/NECs for all UICs.

(c) ACT can not be used with SUM and/or RCN.

ACT indicates a request for activity totals by paygrade of all RCN/NECs for each separate UIC and as the last page of the Inquiry displays summary totals by paygrade for all UICS.

- (d) TAD and/or TARS can not be used with ALL.
  - TAD indicates a request for activity totals by paygrade all TAD'd RCN/NECs (TAD to and/or from the unit) for each separate UIC.
  - TARS indicates a request for activity totals by paygrade all TAR personnel RCN/NECs for each UIC.
  - 3. ALL indicates a request for activity totals by paygrade all regular Navy personnel (which is the default on all transactions), TAR personnel, and TAD RCN/NECs for each separate UIC.
- (e) NTAD can not be used with TAD, TARS, or ALL.

NTAD indicates a request for activity totals by paygrade all regular Navy personnel and TAR personnel RCN/NECs for each separate UIC.

NOTE: Whenever there is more than one page of activity totals by paygrade (excluding error message display pages) there will also be a summary of all pages as the last page of the Inquiry. Error message display pages, such as "RCN XXXX not found for UIC XXXXX do not have page numbers. If an inquiry only has one page, a summary page would be redundant. Regular Navy only will be selected for all parameters unless TARS or ALL is specified; TARS will select TAR personnel only, ALL will select TAR and regular Navy TAD and/or non-TAD personnel.

# Back to top Previous Page Next Page Table of Contents

# SAMPLE OUTPUT SCREEN DISPLAYS

AR01,MCAB,UIC68412.

							]	FCD-91	1111 F	RDT-91	113	ILC-1	553 PA	AGE 9
ACT-EPMA	.C NRL	NS	U	IC-68	412 7	ARC-F	B RCN	-1700	ATC-I	HNO SS	SC-1	RCR-2	3	
	CUR	CUR	P-7	P-7	S	STA1=	****	STA2	=****	* STA3	8=***	** N	P A	
RABBR	BA	NMP	BA	NMP	COB	POB1	POB2	POB3	POB4	POB5	MOB	POB7	RQN R	RQN RQN
NEC	042	042	112	112	042	052	062	072	082	092	+ 1	112		
YNCM	1	1	1	1							1			
YNCS	1	1	1	1	3	3	3	3	3	3	1	2		
YNC	4	4	4	4	5	4	4	4	4	4	4	4		
E7-9TOT	6	6	6	6	8	7	7	7	7	7	6	6		
YN1	3	3	3	3	7	7	7	7	7	7	3	7		4
YN2	1	1	1	1	2	2	2	2	2	2	1	2		1
E5-6TOT	4	4	4	4	9	9	9	9	9	9	4	9		5
E5-9TOT	10	10	10	10	17	16	16	16	16	16	10	15		5
YN3					5	5	5	5	4	4		4		4
YNSN					2	2	2	2	2	2		2		2
E3-4TOT					7	7	7	7	6	6		6		6
E4-9TOT	10	10	10	10	22	21	21	21	20	20	10	19		9
E3-9TOT	10	10	10	10	24	23	23	23	22	22	10	21		11

AR003I(07:16) PRESS "PF1" FOR NEXT PAGE, "PRINT/LOCAL" FOR PRINTED COPIES.